

LPAC 201



Heating & Cooling System Description
and
How it works.

SWARTHMORE COLLEGE

For Maintenance requests
Email workbox@swarthmore.edu or
Phone X 8280

Room Heating Tips.

Be certain that windows are shut tightly.

Don't forget the upper section of the window.

Windows that are not completely closed allow cold air into the room.

If your windows won't shut properly call Facilities Management at x8280 to report the problem.

Closing your window shades or draperies can help keep the cold out.

Don't place heat producing lamps or other appliances near the thermostat as this can fool the thermostat into reducing the heat supplied to the room.

Classrooms must be scheduled through "Space" or the Registrars office to have heating or cooling!

Be certain that nothing blocks the air into or out of the vents on the heating unit as this prevents the unit from heating the room's air.

The heat for LPAC is supplied by steam from the boilers in the Heat Plant located across the street from the Field House. The boilers can burn either natural gas or #6 heavy oil. During the coldest weather the College can burn 5,500 gallons of oil a day to heat the various buildings. Cooling is provided by chilled water which comes from either McCabe Library or the chiller plant behind the Science center.

Underground pipes supply the steam to many of the buildings on the Campus. After the steam is used to heat the buildings it condenses back into water that's returned to the Heating Plant to be turned into steam again.

The steam sent to LPAC is used to heat water which is circulated through each room's fan coil heating / cooling unit.

Each room has its own thermostat to control the space temperature.

College policy for heating in occupied times 68-72°. Thermostats are limited by the automation system to a maximum heating temperature of 72° and not lower than 64°. Cooling in occupied times is limited to not lower than 73°.

During unoccupied times the heating is reduced and in the summer unoccupied times the air conditioning is off.

LPAC is either heating or cooling and as such cooling can not be provided until the heating season is finished.

More College energy information can be found at;

<http://www.swarthmore.edu/x29161.xml>

LPAC room 201 heating and cooling system.

